

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

No specific toxicological information is available. Treat symptomatically.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled. Avoid breathing dust and spray mist. May irritate the skin and eyes. Avoid contact with skin, eyes and clothing. Wash hands and face after handling and before eating, using tobacco (including smoking), applying cosmetics or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid contamination of feed and foodstuffs.

Treat seed in a well-ventilated area. All workers must wear a long-sleeved shirt and long pants, shoes, socks and waterproof gloves. In addition, mixers must wear protective eyewear and a dust mask. Follow manufacturer's instructions for maintaining PPE. If no such instruction for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Do not use seed treated with this product for animal feed. Do not use treated seed for food, feed or oil purposes.

ENVIRONMENTAL HAZARDS: TOXIC to aquatic organisms.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE

To prevent contamination store this product away from food or feed. Store above -12° C.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Heads Up® is a registered trademark of Heads Up Plant Protectants, Inc.

PREMIERS SOINS

En cas d'ingestion : Appeler immédiatement un centre antipoison ou un médecin pour obtenir des conseils sur le traitement. Faire boire un verre d'eau à petites gorgées si la personne empoisonnée est capable d'avaler. Ne pas faire vomir à moins d'avoir reçu le conseil de procéder ainsi par le centre antipoison ou le médecin. Ne rien administrer par la bouche à une personne inconsciente.

En cas de contact avec la peau ou les vêtements : Enlever tous les vêtements contaminés. Rincer immédiatement la peau à grande eau pendant 15 à 20 minutes. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

En cas d'inhalation : Déplacer la personne vers une source d'air frais. Si la personne ne respire pas, appeler le 911 ou une ambulance, puis pratiquer la respiration artificielle, de préférence le bouche-à-bouche, si possible. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

En cas de contact avec les yeux : Garder les paupières écartées et rincer doucement et lentement avec de l'eau pendant 15 à 20 minutes. Le cas échéant, retirer les lentilles cornéennes au bout de 5 minutes et continuer de rincer l'œil. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

Emporter le contenant, l'étiquette ou prendre note du nom du produit et de son numéro d'homologation lorsqu'on cherche à obtenir une aide médicale.

RENSEIGNEMENTS TOXICOLOGIQUES

Aucun renseignement toxicologique spécifique n'est disponible. Traiter selon les symptômes.

PRÉCAUTIONS

GARDER HORS DE LA PORTÉE DES ENFANTS. Nocif en cas d'inhalation. Éviter d'inhaler les poussières et le brouillard de pulvérisation. Peut irriter la peau et les yeux. Éviter le contact avec la peau, les yeux et les vêtements. Se laver les mains et le visage après avoir manipulé ce produit et avant de manger, d'utiliser des produits du tabac (y compris de fumer), d'appliquer des cosmétiques ou d'aller aux toilettes. Enlever immédiatement tout vêtement ou équipement de protection individuel (EPI) imbibé d'un pesticide. Se laver à fond puis mettre des vêtements propres. Laver l'extérieur des gants avant de les retirer. Se laver à fond dès que possible, puis mettre des vêtements propres. Éviter de contaminer les aliments destinés à la consommation humaine ou animale.

Effectuer le traitement des semences dans un endroit bien ventilé. Tous les travailleurs doivent porter une chemise à manches longues et un pantalon long, des chaussettes et des chaussures et des gants imperméables. Les préposés au mélange doivent également porter des lunettes de protection et un masque antipoussières. Se conformer aux directives du fabricant pour l'entretien et le nettoyage de l'équipement de protection individuelle. En l'absence de telles directives pour les articles lavables, utiliser de l'eau chaude et un détergent. Entreposer et laver l'équipement de protection individuelle séparément des vêtements de la maison.

Ne pas utiliser les semences traitées avec ce produit pour l'alimentation animale. Ne pas utiliser les semences traitées pour l'alimentation des humains ou des animaux ou pour la fabrication d'huile.

DANGERS POUR L'ENVIRONNEMENT : TOXIQUE pour les organismes aquatiques.

ÉLIMINATION

1. Rincer le contenant trois fois ou le rincer sous pression. Ajouter les rinçures au mélange à pulvériser dans la cuve.
2. Vérifier si un nettoyage supplémentaire du contenant avant son élimination est exigé en vertu de la réglementation provinciale.
3. Rendre le contenant inutilisable.
4. Éliminer le contenant conformément à la réglementation provinciale.
5. Pour tout renseignement concernant l'élimination de produits non utilisés ou dont on veut se départir, s'adresser au fabricant ou à l'organisme de réglementation provincial. S'adresser également à eux en cas de déversement ainsi que pour le nettoyage des déversements.

ENTREPOSAGE

Ne pas entreposer ce produit près des aliments de consommation humaine ou animale afin de prévenir toute contamination. Conserver au-dessus de -12° C.

AVIS À L'UTILISATEUR

Ce produit antiparasitaire doit être employé strictement selon le mode d'emploi qui figure sur la présente étiquette. L'emploi non conforme à ce mode d'emploi constitue une infraction à la *Loi sur les produits antiparasitaires*.

Heads Up® est une marque déposée de Heads Up Plant Protectants, Inc.

Heads Up[®] Plant Protectant

Seed treatment for the suppression of rhizoctonia canker and black scurf on potatoes and rhizoctonia root rot and post-emergence damping-off, sudden death syndrome on soybeans and damping-off on soybeans and white mould on soybeans and dry beans

Soluble Powder
FUNGICIDE
Commercial

ACTIVE INGREDIENT: Saponins of *Chenopodium quinoa*..... 63.02%
REGISTRATION NO. 29827 PEST CONTROL PRODUCTS ACT

**READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

CAUTION



POISON

NET CONTENTS: 1g - 1 kg



Heads Up Plant Protectants, Inc.
3002 Millar Avenue
Saskatoon, Saskatchewan S7K 5X9
Telephone (Toll-Free): 1-866-368-9306

HOT LINE NUMBER
For 24-hour Medical Emergency
Treatment Information
1-866-368-9306 or 1-306-542-7639

First Aid

If swallowed	Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.	

TOXICOLOGICAL INFORMATION

No specific toxicological information is available.

Treat symptomatically.

Precautions

KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled. Avoid breathing dust and spray mist. May irritate the skin and eyes. Avoid contact with skin, eyes and clothing. Wash hands and face after handling and before eating, using tobacco (including smoking), applying cosmetics or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid contamination of feed and foodstuffs.

Treat seed in a well-ventilated area. All workers must wear a long-sleeved shirt and long pants, shoes, socks and waterproof gloves. In addition, mixers must wear protective eyewear and a dust mask. Follow manufacturer's instructions for maintaining PPE. If no such instruction for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Do not use seed treated with this product for animal feed. Do not use treated seed for food, feed or oil purposes.

ENVIRONMENTAL HAZARDS: TOXIC to aquatic organisms

Directions for Use

GENERAL INFORMATION

This product contains no colourant. An appropriate colourant must be added when this product is applied to seed. Regulations pertaining to the "Seeds Act" must be strictly adhered to when using this product. Users are responsible for ensuring that the treated seed, when dried and ready for bagging, has an unnatural colour.

Heads Up Plant Protectant is a preplant seed treatment for the suppression of rhizoctonia canker and black scurf on potatoes and rhizoctonia root rot and and post-emergence damping-off, Sudden Death Syndrome on soybeans and damping-off on soybeans and white mould on soybeans and dry beans.

Heads Up Plant Protectant is made from plant sources. Apply this product as directed to seeds as part of a general disease management program.

TREAT ONLY HEALTHY VIGOUROUS SEED: Application of **Heads Up Plant Protectant** to damaged or diseased seed or seed of low quality or vigour will not improve seed performance. Always apply to healthy seed under stress-free conditions.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Treat only those seeds needed for immediate use and planting. Do not store excess treated seed beyond planting time. Dispose of excess treated seed by burial away from streams and bodies of water.

Mixing Directions

Apply dissolved into solution with water, and thoroughly coat the surface of the seed. Do not apply in packaged powder form.

Ensure that the product is thoroughly dissolved in solution and the solution agitated before application. Return any unused powder to original container.

Clean application equipment. Prepare only the amount of solution needed to be applied to treat the seed. Once in solution the product will be subject to bacterial degradation. Use the solution IMMEDIATELY AFTER COMPLETE MIXING and no longer than 4 to 6 hours after mixing. Treat only the seed that you wish to plant and ensure all treated seed are used for planting purposes.

Mixing Directions (cont.)

PREPLANT SEED TREATMENT DIRECTIONS FOR USE TABLE

CROP	DISEASE	APPLICATION RATE	DIRECTIONS
Seed Potatoes (cut or whole tubers)	Suppression of rhizoctonia canker and black scurf (Rhizoctonia solani)	1 gram of Heads Up Plant Protectant per 1 litre of water 1 package (50 grams) of Heads Up Plant Protectant treats up to 13,200 kg (29,100 lbs.) of seed	Mix Heads Up Plant Protectant with water. Apply 1 L of solution for every 100-264 kg of potato seed. Seed must exhibit signs of germination.
Soybean Seeds	Suppression of root rot and post-emergence damping-off caused by (Rhizoctonia solani), white mould (Sclerotinia sclerotiorum) and sudden death syndrome (Fusarium virguliforme)	1 package (50 grams) of Heads Up Plant Protectant treats 8108 kg of seed.	Soybean and dry bean seeds must be prepared and ready for seeding. Follow the method on following page to first make a 3-litre solution of Heads Up Plant Protectant Liquid Solution Concentrate that can be further diluted with additional water or other seed treatment products. Mix 37 mL of Heads Up Plant Protectant Liquid Solution Concentrate with enough additional carrier (water) or other seed treatments which will fully wet the seed in a range of 313 mL to 613 mL of total solution per 100 kg of seed.
Dry Bean Seeds	Suppression of white mould (Sclerotinia sclerotiorum)		

For seed potatoes, whether fresh cut or suberized, the **Heads Up Plant Protectant** solution **must be applied to germinating seed potatoes**, as indicated by obvious sprouting activity coming from the potato eyes. This sprouting activity can be from peeking to full spout length, but before green leaves appear.

Mixing Directions (cont.)

Soybean and dry bean seeds must be prepared and ready for seeding. The object is to achieve a wet shiny appearance to the seed. This will dry off or be absorbed by the seed; however, the treatment will remain in effect. Treat the seeds by dipping, spraying or dribbling the solution into a rotating auger conveyor or some other approved seed treatment device. Spray applications to seeds within an enclosed spray booth or other enclosed spray device are also acceptable providing thorough coverage is achieved.

PREPLANT SEED TREATMENT DIRECTIONS FOR USE ON SOYBEANS AND DRY BEANS

When **Heads Up Plant Protectant** is applied to soybean and dry bean seed as a preplant seed treatment, first make a slurry of 3 litres Heads Up Plant Protectant Liquid Solution Concentrate then add the additional carriers or other seed treatments to make 313 to 613 mL of treatment solution per 100 kg of seed.

Step 1

To Make 3 Litres (3000 mL) of Heads Up Plant Protectant Liquid Solution Concentrate

1. Choose a suitable container that will hold 4 litres of water (or larger) and will allow for vigorous shaking or stirring of the solution.
2. Empty the full package (50 grams) into 1.5 Litres of water (non-chlorinated preferred).
3. Shake or stir this mixture until all the product is dissolved, usually in a few minutes.
4. Top up the container with an additional 1.5 Litres of water to make 3 Litres of Heads Up Plant Protectant liquid solution concentrate. Shake well.

37 mL of concentrate solution will treat 100 kg of seed.

Mixing Directions (cont.)

Step 2

Importance of Additional Carrier Solution

This product is a non-microbial chemical solution and must be applied with enough additional carrier (water) or other seed treatments which will fully wet the seed and allow the solution to penetrate and reside in the seed coat until germination occurs. Add additional carrier to the **Heads Up Plant Protectant Liquid Solution Concentrate** to achieve the range of 313 mL to 613 mL of total solution (Heads Up + all other additional liquid carriers) per 100 kg of seed.

In some cases, tank mixing a pest control product with another pest control product or a fertilizer can result in biological effects that could include, but are not limited to: reduced pest efficacy or increased host crop injury. The user should contact customer service at Heads Up Plant Protectants Inc. at 1 (866) 368-9306 for information before mixing any pesticide or fertilizer that is not specifically recommended on this label.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Mixing Directions (cont.)

STORAGE

To prevent contamination, store this product away from food or feed. Store above -12° C.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

Heads Up® is a registered trademark of Heads Up Plant Protectants, Inc.